





Oasis

SHOWER DOORS

Product Guide



FROM IDEAS TO REALITY



Custom
Width

Custom
Height

Fixed Panel

OASISSHOWERDOORS.COM • 800-876-8420






Oasis

SHOWER DOORS

Frameless Door



Build with the Best

- Highest Quality Components
- 3/8 Inch or 1/2 Inch Heavy Glass
- On-site Visits & Measurements
- Virtually Maintenance Free
- Professional Installation
- Fully Warranted



Precision Hardware

Oasis enclosures employ durable precision-machined brass hinges to ensure long-term, dependable, and trouble-free service. Available in wall mount, pivot, and glass-to-glass.



Towel Bars, Pulls & Handles

Oasis enclosures can be outfitted with a variety of towel bars, door handles and pull combinations. Styles are available in a wide variety of finishes with or without metal washers.



Safety Tempered Glass

Oasis offers dozens of glass options in 3/8 and 1/2 inch heavy glass, in both standard and low iron options with polished edges. Optional permanent glass protectant reduces cleaning time up to 90%.



Sweep

Durable polycarbonate sweep is nearly invisible because of its low profile and transparent color. Double bladed design insures a shower-tight seal.



Oasis

SHOWER DOORS

oasisshowerdoors.com

S
P
E
C
I
F
I
C
A
T
I
O
N
S

Oasis Door Specifications:

Frameless

Oasis Frameless Doors feature 3/8" thick safety tempered glass with polished edges. Hinges and handles are solid brass and are custom plated to match project finishes. All extrusions are anodized aluminum to resist corrosion. Mildew Resistant Silicone is used to seal extrusion to tile. Enclosures are templated for precise measurement by Oasis Shower Doors.

Available Options and Upgrades:

1/2" glass, decorative towel bar/handle, permanent surface protectant (reduces cleaning time by up to 90%), mounting clips, obscure & pattern glass.

Oasis Shower Doors: 800-876-8420

info@oasisshowerdoors.com

Builder Resources

Visit OasisShowerDoors.com for more online specs and other builder and architectural resources.


Hardware Styles

Standard commercial hardware includes through-the-glass D-pulls, D-pull and towel bar combo, or towel bar separately, in specified finishes. Decorative towel bar/handle upgrades available.



Brass tubular hardware with overlaid finish

Note: Typical configurations shown.
Custom configurations available for any Oasis enclosure.



Springfield, MA

646 Springfield St., Feeding Hills MA 01030
t 413.786.8420 f 413.786.7201
Toll Free 800.876.8420

Boston South Shore, MA

50 Finnell Dr., Weymouth MA 02188
t 781.340.2700 f 781.340.0808
Toll Free 888.340.2701

Boston North Shore, MA

47 Newbury St., Peabody MA 01960
t 978.817.2436 f 978.587.3602
Toll Free 888.340.2701

Hartford, CT

195 W. Main St., Avon CT 06001
t 860.676.1410 f 860.677.5869
Toll Free 800.876.8420




Oasis

SHOWER DOORS

Frameless Door & Panel



Oasis shower enclosures are available with any hinge configuration: wall mount, glass-to-glass, or pivot hinges (shown), with or without headers.



Channel System



Clip System



Channel with Header

Build with the Best

- Highest Quality Components
- 3/8 Inch or 1/2 Inch Heavy Glass
- Virtually Maintenance Free
- Professional Installation
- Fully Warranted



Headers and Channels

Extrusions are made from either anodized aluminum or optional solid brass, available in a wide variety of finishes. We also offer upgrades to clip systems that can be used with or without channels.



Precision Hardware

Oasis enclosures employ durable precision-machined brass hinges to ensure long-term, dependable, and trouble-free service. Available in wall mount, pivot, and glass-to-glass.



Towel Bars, Pulls & Handles

Oasis enclosures can be outfitted with a variety of towel bars, door handles and pull combinations. Styles are available in a wide variety of finishes with or without metal washers.



Safety Tempered Glass

Oasis offers dozens of glass options in 3/8 and 1/2 inch heavy glass, in both standard and low iron options with polished edges. Optional permanent glass protectant reduces cleaning time up to 90%.



Oasis

SHOWER DOORS

oasisshowerdoors.com

S
P
E
C
I
F
I
C
A
T
I
O
N
S

Oasis Door/Panel Specifications:

Frameless

Oasis Frameless Door and Panel Enclosures feature 3/8" thick safety tempered glass with polished edges. Hinges and handles are solid brass and are custom plated to match project finishes. All extrusions are anodized aluminum to resist corrosion. Mildew Resistant Silicone is used to seal extrusion to tile. Enclosures are templated for precise measurement by Oasis Shower Doors.

Available Options and Upgrades:

1/2" glass, decorative towel bar/handle, permanent surface protectant (reduces cleaning time by up to 90%), mounting clips, obscure & pattern glass.

Oasis Shower Doors: 800-876-8420

info@oasisshowerdoors.com

Builder Resources

Visit OasisShowerDoors.com for more online specs and other builder and architectural resources.


Hardware Styles

Standard commercial hardware includes through-the-glass D-pulls, D-pull and towel bar combo, or towel bar separately, in specified finishes. Decorative towel bar/handle upgrades available.


Note: Typical configurations shown. Custom configurations available for any Oasis enclosure.




Brass tubular hardware with overlaid finish




Wall Hinge / Channel System



Wall Hinge / Clip System



Pivot Hinge / Channel & Header



Pivot Hinge / Channel System

Springfield, MA

646 Springfield St., Feeding Hills MA 01030
t 413.786.8420 f 413.786.7201
Toll Free 800.876.8420

Boston South Shore, MA

50 Finnell Dr., Weymouth MA 02188
t 781.340.2700 f 781.340.0808
Toll Free 888.340.2701

Boston North Shore, MA

47 Newbury St., Peabody MA 01960
t 978.817.2436 f 978.587.3602
Toll Free 888.340.2701

Hartford, CT

195 W. Main St., Avon CT 06001
t 860.676.1410 f 860.677.5869
Toll Free 800.876.8420




Oasis

SHOWER DOORS


Frameless Door & Full Height Panel




Oasis shower enclosures are available with any hinge configuration: wall mount (shown), glass-to-glass, or pivot hinges, with or without transoms.



Channel System



Transom Systems



Clips System

Build with the Best

- Highest Quality Components
- 3/8 Inch or 1/2 Inch Heavy Glass
- Virtually Maintenance Free
- Professional Installation
- Fully Warranted



Headers and Channels

Extrusions are made from either anodized aluminum or optional solid brass, available in a wide variety of finishes. We also offer upgrades to clip systems that can be used with or without channels.



Precision Hardware

Oasis enclosures employ durable precision-machined brass hinges to ensure long-term, dependable, and trouble-free service. Available in wall mount, pivot, and glass-to-glass.



Towel Bars, Pulls & Handles

Oasis enclosures can be outfitted with a variety of towel bars, door handles and pull combinations. Styles are available in a wide variety of finishes with or without metal washers.



Safety Tempered Glass

Oasis offers dozens of glass options in 3/8 and 1/2 inch heavy glass, in both standard and low iron options with polished edges. Optional permanent glass protectant reduces cleaning time up to 90%.



Oasis

SHOWER DOORS

oasisshowerdoors.com

S
P
E
C
I
F
I
C
A
T
I
O
N
S

Oasis Door/Full Height Panel Specifications:

Frameless

Oasis Frameless Door and Panel Enclosures feature 3/8" thick safety tempered glass with polished edges. Hinges and handles are solid brass and are custom plated to match project finishes. All extrusions are anodized aluminum to resist corrosion. Mildew Resistant Silicone is used to seal extrusion to tile. Enclosures are templated for precise measurement by Oasis Shower Doors.

Available Options and Upgrades:

1/2" glass, decorative towel bar/handle, permanent surface protectant (reduces cleaning time by up to 90%), mounting clips, obscure & pattern glass.

Oasis Shower Doors: 800-876-8420
info@oasisshowerdoors.com

Builder Resources


Visit OasisShowerDoors.com for more online specs and other builder and architectural resources.

Hardware Styles


Standard commercial hardware includes through-the-glass D-pulls, D-pull and towel bar combo, or towel bar separately, in specified finishes. Decorative towel bar/handle upgrades available.



Brass tubular hardware with overlaid finish




Wall Hinge / Channel System




Pivot Hinge / Channel System

Note: Typical configurations shown. Custom configurations available for any Oasis enclosure.



Wall Hinge / Clip System



Transom / Channel /Clip System

Springfield, MA

646 Springfield St., Feeding Hills MA 01030
t 413.786.8420 f 413.786.7201
Toll Free 800.876.8420

Boston South Shore, MA

50 Finnell Dr., Weymouth MA 02188
t 781.340.2700 f 781.340.0808
Toll Free 888.340.2701

Boston North Shore, MA

47 Newbury St., Peabody MA 01960
t 978.817.2436 f 978.587.3602
Toll Free 888.340.2701

Hartford, CT

195 W. Main St., Avon CT 06001
t 860.676.1410 f 860.677.5869
Toll Free 800.876.8420




Oasis

SHOWER DOORS


Frameless Panel/Door/Panel



Oasis PDP shower enclosures are available with either hinge configuration: glass-to-glass or pivot hinges with or without transoms.



Clip System



Header Systems



Header & Channel

Build with the Best

- Highest Quality Components
- 3/8 Inch or 1/2 Inch Heavy Glass
- Virtually Maintenance Free
- Professional Installation
- Fully Warranted



Headers and Channels

Extrusions are made from either anodized aluminum or optional solid brass, available in a wide variety of finishes. We also offer upgrades to clip systems that can be used with or without channels.



Precision Hardware

Oasis enclosures employ durable precision-machined brass hinges to ensure long-term, dependable, and trouble-free service. Available in wall mount, pivot, and glass-to-glass.



Towel Bars, Pulls & Handles

Oasis enclosures can be outfitted with a variety of towel bars, door handles and pull combinations. Styles are available in a wide variety of finishes with or without metal washers.



Safety Tempered Glass

Oasis offers dozens of glass options in 3/8 and 1/2 inch heavy glass, in both standard and low iron options with polished edges. Optional permanent glass protectant reduces cleaning time up to 90%.



Oasis

SHOWER DOORS

oasisshowerdoors.com

S
P
E
C
I
F
I
C
A
T
I
O
N
S

Oasis Panel/Door/Panel Specifications:

Frameless

Oasis Frameless Panel/Door/Panel Enclosures feature 3/8" thick safety tempered glass with polished edges. Hinges and handles are solid brass and are custom plated to match project finishes. All extrusions are anodized aluminum to resist corrosion. Mildew Resistant Silicone is used to seal extrusion to tile. Enclosures are templated for precise measurement by Oasis Shower Doors.

Available Options and Upgrades:

1/2" glass, decorative towel bar/handle, permanent surface protectant (reduces cleaning time by up to 90%), mounting clips, obscure & pattern glass.

Oasis Shower Doors: 800-876-8420

info@oasisshowerdoors.com

Builder Resources

Visit OasisShowerDoors.com for more online specs and other builder and architectural resources.


Hardware Styles

Standard commercial hardware includes through-the-glass D-pulls, D-pull and towel bar combo, or towel bar separately, in specified finishes. Decorative towel bar/handle upgrades available.


Note: Typical configurations shown. Custom configurations available for any Oasis enclosure.




Brass tubular hardware with overlaid finish




Pivot Hinge / Header System



Glass-to-Glass Hinge / Clips/Channel



Full Height / Channel System



Transom / Clip & Channel System

Springfield, MA

646 Springfield St., Feeding Hills MA 01030
t 413.786.8420 f 413.786.7201
Toll Free 800.876.8420

Boston South Shore, MA

50 Finnell Dr., Weymouth MA 02188
t 781.340.2700 f 781.340.0808
Toll Free 888.340.2701

Boston North Shore, MA

47 Newbury St., Peabody MA 01960
t 978.817.2436 f 978.587.3602
Toll Free 888.340.2701

Hartford, CT

195 W. Main St., Avon CT 06001
t 860.676.1410 f 860.677.5869
Toll Free 800.876.8420



Oasis

SHOWER DOORS

Frameless Neo-Angle



Oasis Neo Angle shower enclosures are available with glass-to-glass or pivot hinges, with or without transoms or headers, secured with channel and/or clips. In photo: header and channel system with pivot hinges.



Clip System



Steam System



2/3 Neo w/Channel

Build with the Best

- Highest Quality Components
- 3/8 Inch or 1/2 Inch Heavy Glass
- Virtually Maintenance Free
- Professional Installation
- Fully Warranted



Headers and Channels

Extrusions are made from either anodized aluminum or optional solid brass, available in a wide variety of finishes. We also offer upgrades to clip systems that can be used with or without channels.



Precision Hardware

Oasis enclosures employ durable precision-machined brass hinges to ensure long-term, dependable, and trouble-free service. Available in wall mount, pivot, and glass-to-glass.



Towel Bars, Pulls & Handles

Oasis enclosures can be outfitted with a variety of towel bars, door handles and pull combinations. Styles are available in a wide variety of finishes with or without metal washers.



Safety Tempered Glass

Oasis offers dozens of glass options in 3/8 and 1/2 inch heavy glass, in both standard and low iron options with polished edges. Optional permanent glass protectant reduces cleaning time up to 90%.



Oasis

SHOWER DOORS

oasisshowerdoors.com

S
P
E
C
I
F
I
C
A
T
I
O
N
S

Oasis Neo-Angle Specifications:

Frameless

Oasis Frameless Neo-Angle Enclosures feature 3/8" thick safety tempered glass with polished edges. Hinges and handles are solid brass and are custom plated to match project finishes. All extrusions are anodized aluminum to resist corrosion. Mildew Resistant Silicone is used to seal extrusion to tile. Enclosures are templated for precise measurement by Oasis Shower Doors.

Available Options and Upgrades:

1/2" glass, decorative towel bar/handle, permanent surface protectant (reduces cleaning time by up to 90%), mounting clips, obscure & pattern glass.

Oasis Shower Doors: 800-876-8420

info@oasisshowerdoors.com

Builder Resources

Visit OasisShowerDoors.com for more online specs and other builder and architectural resources.

Hardware Styles

Standard commercial hardware includes through-the-glass D-pulls, D-pull and towel bar combo, or towel bar separately, in specified finishes. Decorative towel bar/handle upgrades available.




Brass tubular hardware with overlaid finish




Note: Panel stabilizer bar recommended for headerless designs that hinge door off of panel.


Typical configurations shown.
Custom configurations available for any Oasis enclosure.




Pivot Hinge / Header/Channel



Glass-to-Glass Hinges / Channel / Clips



2/3 / Wall-Mount Hinge / Channel System



Custom / Header & Channel System

Springfield, MA

646 Springfield St., Feeding Hills MA 01030
t 413.786.8420 f 413.786.7201
Toll Free 800.876.8420

Boston South Shore, MA

50 Finnell Dr., Weymouth MA 02188
t 781.340.2700 f 781.340.0808
Toll Free 888.340.2701

Boston North Shore, MA

47 Newbury St., Peabody MA 01960
t 978.817.2436 f 978.587.3602
Toll Free 888.340.2701

Hartford, CT

195 W. Main St., Avon CT 06001
t 860.676.1410 f 860.677.5869
Toll Free 800.876.8420



Oasis

SHOWER DOORS

Hydroslide Door & Fixed Panel



The Oasis Hydroslide is available in many configurations with fixed panel held with clip or channel systems (above), with or without fixed return panel.



Glass Return



Channel System



Clip System

Build with the Best

- Brass and Aluminum Components
- 3/8 Inch Heavy Glass
- Ultra-smooth Gliding Action
- Virtually Maintenance Free
- Professional Installation
- Fully Warranted



Precision Components


Hydroslide comes in brushed nickel, oil rubbed bronze, or polished chrome and brass, as well as custom finishes. Glide wheels are fastened through the glass and employ the highest quality ball bearings

and rubber tire inserts to ensure the smoothest sliding action possible.



Simplified Pulls

The through the door, finger pull combines simplicity with functionality. This ingenious solution is both low profile and allows you to open the door easily from either side. Finger pulls can be installed as pure polished glass or with metal ring accent. The Hydroslide can also be outfitted with a variety of traditional towel bars and door handles if preferred.



Low Profile Slider Guide

Hydroslide slider guides are designed to exact specifications, allowing them to offer the lowest profile while still providing flawless functionality. Instead of the larger base channels, a low

profile curb dam can be used to provide added leak-proofing assurance.



Oasis

SHOWER DOORS

oasisshowerdoors.com

S
P
E
C
I
F
I
C
A
T
I
O
N
S

Oasis Hydroslide Specifications:

Frameless

Oasis Frameless Hydroslide Enclosure features standard 3/8" thick safety tempered glass with polished edges. All slider components available in standard brushed nickel, oil rubbed bronze, polished chrome, polished brass finish. Custom finishes also available. Fixed panel anchored with anodized aluminum channeling or brass clips at the base. Available in 3/8" glass only, maximum header width of 84" with a maximum door weight of 88 lbs. Mildew Resistant Silicone is used to seal components to tile. Enclosures are templated for precise measurement by Oasis Shower Doors.

Available options and upgrades:

6" D-pull handle, single-sided tubular towel bars mounted through the glass on fixed panel, permanent surface protectant (reduces cleaning time by up to 90%), low iron, obscure & pattern glass, mounting clips for fixed panel.

Oasis Shower Doors: 800-876-8420
info@oasisshowerdoors.com

Builder Resources

Visit OasisShowerDoors.com for more online specs and other builder and architectural resources.


Hardware Styles

Standard commercial hardware includes through-the-glass D-pulls, knobs or towel bars in specified finishes. Decorative towel bar/handle upgrades available.




Brass tubular hardware with overlaid finish

Note: Typical configurations shown. Custom configurations available for any Oasis enclosure.



Sliding door and fixed panel with channel system



Sliding door and fixed panel with clip system

Springfield, MA

646 Springfield St., Feeding Hills MA 01030
t 413.786.8420 f 413.786.7201
Toll Free 800.876.8420

Boston South Shore, MA

50 Finnell Dr., Weymouth MA 02188
t 781.340.2700 f 781.340.0808
Toll Free 888.340.2701

Boston North Shore, MA

47 Newbury St., Peabody MA 01960
t 978.817.2436 f 978.587.3602
Toll Free 888.340.2701

Hartford, CT

195 W. Main St., Avon CT 06001
t 860.676.1410 f 860.677.5869
Toll Free 800.876.8420



Oasis

SHOWER DOORS

Essence Door & Fixed Panel



The Oasis Essence is available in many configurations with hardware in both round or square designs (above), with or without fixed return panel.



Glass Return



Rounded System



Square System

Build with the Best

- Brass and Aluminum Components
- 1/2 Inch Heavy Glass Only
- Ultra-smooth Gliding Action
- Virtually Maintenance Free
- Professional Installation
- Fully Warranted



No Header

The Essence Series is a headerless system for 1/2" glass only. Offering smooth and quiet operation, the anti-derail/anti-pinch guard and curved shaped bottom track and rollers make them easy to maintain.



Hardware

The Essence accepts traditional towel bars, handles and through-the-door finger pulls. Wall clips are available in rounded or square to match roller choice. Finishes available include: Chrome, Brushed Nickel, Brass and Oil Rubbed Bronze.



Ultra-Smooth Glide Rollers

Concave roller wheels feature integrated height adjustment and glide smoothly on a low profile arched track. An anti-derailing finger guard protects components from water and dirt on the inside of the shower. Roller housings available in both rounded and square designs.



Oasis

SHOWER DOORS

oasisshowerdoors.com

S
P
E
C
I
F
I
C
A
T
I
O
N
S

Oasis Essence Specifications:

Frameless

Oasis Frameless Essence Enclosure features standard 1/2" thick safety tempered glass with polished edges. All slider components available in standard chrome, brushed nickel, brass and oil rubbed bronze finish. Fixed panel anchored with anodized aluminum channeling or brass clips at the base. Available in 1/2" glass only, maximum door size of 34" wide or a maximum door weight of 127 lbs. Minimum sill width of 2-1/2" required. Mildew Resistant Silicone is used to seal components to tile. Enclosures are templated for precise measurement by Oasis Shower Doors.

Available options and upgrades:

6" D-pull handle, single-sided tubular towel bars mounted through the glass on fixed panel, permanent surface protectant (reduces cleaning time by up to 90%), low iron, obscure & pattern glass, round or square mounting clips and rollers.

Oasis Shower Doors: 800-876-8420
info@oasisshowerdoors.com

Builder Resources

Visit OasisShowerDoors.com for more online specs and other builder and architectural resources.


Hardware Styles

Standard commercial hardware includes through-the-glass D-pulls, knobs or towel bars in specified finishes. Decorative towel bar/handle upgrades available.




Brass tubular hardware with overlaid finish

Note: Typical configurations shown. Custom configurations available for any Oasis enclosure.



Sliding door and fixed panel with round system



Sliding door and fixed panel with square system

Springfield, MA

646 Springfield St., Feeding Hills MA 01030
t 413.786.8420 f 413.786.7201
Toll Free 800.876.8420

Boston South Shore, MA

50 Finnell Dr., Weymouth MA 02188
t 781.340.2700 f 781.340.0808
Toll Free 888.340.2701

Boston North Shore, MA

47 Newbury St., Peabody MA 01960
t 978.817.2436 f 978.587.3602
Toll Free 888.340.2701

Hartford, CT

195 W. Main St., Avon CT 06001
t 860.676.1410 f 860.677.5869
Toll Free 800.876.8420




Oasis

SHOWER DOORS

Lucente Sliding Door & Fixed Panel



The Oasis Lucente is available in many configurations with fixed panel held with clip or channel systems (above), with or without fixed return panel.



Clip System



Clip System



Sandblasted Glass

Lucente

Build with the Best

- Stainless Steel Components
- 3/8 Inch Heavy Glass
- Ultra-smooth Gliding Action
- Virtually Maintenance Free
- Professional Installation
- Fully Warranted



Precision Components

Lucente comes in brushed or polished stainless steel finishes and features a low profile header bar (just 1.125 inches high) that can handle a door width of up to 30 inches of 3/8 inch glass. Solid block door


stops with soft rubber bumpers are completely adjustable to guarantee an ultra-tight fit without jeopardizing safety. Glide wheels are fastened through the glass and employ the highest quality ball bearings and rubber tire inserts to ensure the smoothest sliding action possible.



Simplified Pulls

The Lucente through the door, finger pull combines simplicity with functionality. This ingenious solution is both low profile and allows you to open the door easily from either side. The circular ring complements

the upper hardware, creating a unified esthetic. The Lucente can also be outfitted with a variety of traditional towel bars and door handles if preferred.



Low Profile Slider Guide

Lucente slider guides are designed to exact specifications, allowing them to offer the lowest profile while still providing flawless functionality. Instead of the larger base channels, a low

profile curb dam can be used to provide added leak-proofing assurance.



Oasis

SHOWER DOORS

oasisshowerdoors.com

S
P
E
C
I
F
I
C
A
T
I
O
N
S

Oasis Lucente Specifications:

Frameless

Oasis Frameless Lucente Enclosure features standard 3/8" thick safety tempered glass with polished edges. All slider components available in both brushed or polished stainless steel finish. Fixed panel anchored with anodized aluminum channeling at the base. Mildew Resistant Silicone is used to seal components to tile. Enclosures are templated for precise measurement by Oasis Shower Doors.

Available options and upgrades:

6" D-pull handle, single-sided tubular towel bars mounted through the glass on fixed panel, permanent surface protectant (reduces cleaning time by up to 90%), low iron, obscure & pattern glass, mounting clips for fixed panel.

Oasis Shower Doors: 800-876-8420
info@oasisshowerdoors.com

Builder Resources

Visit OasisShowerDoors.com for more online specs and other builder and architectural resources.


Hardware Styles

Standard commercial hardware includes through-the-glass D-pulls, knobs or towel bars in specified finishes. Decorative towel bar/handle upgrades available.




Brass tubular hardware with overlaid finish

Note: Typical configurations shown. Custom configurations available for any Oasis enclosure.



Sliding door and fixed panel with channel system



Sliding door and fixed panel with clip system

Springfield, MA

646 Springfield St., Feeding Hills MA 01030
t 413.786.8420 f 413.786.7201
Toll Free 800.876.8420

Boston South Shore, MA

50 Finnell Dr., Weymouth MA 02188
t 781.340.2700 f 781.340.0808
Toll Free 888.340.2701

Boston North Shore, MA

47 Newbury St., Peabody MA 01960
t 978.817.2436 f 978.587.3602
Toll Free 888.340.2701

Hartford, CT

195 W. Main St., Avon CT 06001
t 860.676.1410 f 860.677.5869
Toll Free 800.876.8420



Oasis

SHOWER DOORS

Bypass Sliding Door



Oasis shower stall bypass doors are available in a wide variety of finishes and hardware styles.



Towel Bar and Knob



Handle and Towel Bar



Dual Towel Bars

Build with the Best

- Brass or Aluminum Components
- 3/8 Inch Heavy Glass
- Ultra-smooth Gliding Action
- Virtually Maintenance Free
- Professional Installation
- Fully Warranted



Header Components

Headers available in curved extrusions made from either polished aluminum alloy or optional solid brass. Replaceable ball-bearing wheels with nylon treads are ultra quiet. Channels featuring added runner depth to

prevent derailing. Plastic door stops hidden in the wall rails are easy to clean and ensure safe closure.




Safety Tempered Glass

Oasis offers dozens of glass options in 1/4 and 3/8 inch heavy glass, in both standard and low iron options with polished edges. Optional EnduroShield® glass protectant reduces cleaning time up to 90%.



Towel Bars, Pulls & Handles

The Oasis Bypass Door can be outfitted with a variety of towel bars, door handles and pull combinations. Styles available in a wide variety of finishes with and without metal washers



Clean Track Bottom Rail

Exaggerated bottom rail pitch delivers superior drainage. Dual silicone channels ensure a water tight seal. Clean-track vinyl glass guide protects against glass and metal contact and ensures smooth sliding action.



Oasis

SHOWER DOORS

oasisshowerdoors.com

S
P
E
C
I
F
I
C
A
T
I
O
N
S

Bypass Sliding Door Specifications:

Frameless

Oasis Frameless Bypass Sliding Doors feature standard 3/8" thick safety tempered glass (recommended) with polished edges. All extrusions feature anodized aluminum or solid brass to resist corrosion. Mildew Resistant Silicone is used to seal extrusion to tile. Tubular towel bars mounted through the glass are typical. Enclosures are templated for precise measurement by Oasis Shower Doors.

Oasis Shower Doors: 800-876-8420
info@oasisshowerdoors.com

Available Options and Upgrades:

6" D-pull handle, decorative towel bar, handle or knob, permanent surface protectant (reduces cleaning time by up to 90%), low iron, obscure & pattern glass. 1/4" glass also available.

Builder Resources

Visit OasisShowerDoors.com for more online specs and other builder and architectural resources.


Hardware Styles

Standard commercial hardware includes through-the-glass D-pulls, knobs or towel bars in specified finishes. Decorative towel bar/handle upgrades available.


Note: Typical configurations shown. Custom configurations available for any Oasis enclosure.




Brass tubular hardware with overlaid finish




Rounded Header




Precision Rollers



Bypass with towel bars



Clean Track Detail



Wall Rail/Bumper Detail

Springfield, MA

646 Springfield St., Feeding Hills MA 01030
t 413.786.8420 f 413.786.7201
Toll Free 800.876.8420

Boston South Shore, MA

50 Finnell Dr., Weymouth MA 02188
t 781.340.2700 f 781.340.0808
Toll Free 888.340.2701

Boston North Shore, MA

47 Newbury St., Peabody MA 01960
t 978.817.2436 f 978.587.3602
Toll Free 888.340.2701

Hartford, CT

195 W. Main St., Avon CT 06001
t 860.676.1410 f 860.677.5869
Toll Free 800.876.8420



Oasis

SHOWER DOORS

Frameless Tub Enclosures



Oasis tub enclosures are available in many configurations such as our sliding bypass (above). All configuration are available with or without return panels.



Door & Panel



Fixed Panel/Slider



Spray Panels

Build with the Best


- Brass or Aluminum Components
- 3/8 Inch Heavy Glass
- Sliding and Hinged Solutions
- Ultra-smooth Gliding Action
- Virtually Maintenance Free
- Professional Installation
- Fully Warranted



Header Components

Headers available in curved extrusions made from either polished aluminum alloy or optional solid brass. Replaceable ball-bearing wheels with nylon treads are ultra quiet. Channels featuring added runner depth to

prevent derailing. Plastic door stops hidden in the wall rails are easy to clean and ensure safe closure.




Safety Tempered Glass

Oasis offers dozens of glass options in 1/4 and 3/8 inch heavy glass, in both standard and low iron options with polished edges. Optional permanent glass protectant reduces cleaning time up to 90%.



Towel Bars, Pulls & Handles

The Oasis Bypass Door can be outfitted with a variety of towel bars, door handles and pull combinations. Styles available in a wide variety of finishes with and without metal washers



Clean Track Bottom Rail

Exaggerated bottom rail pitch delivers superior drainage. Dual silicone channels ensure a water tight seal. Clean-track vinyl glass guide protects against glass and metal contact and ensures smooth sliding action.



Oasis

SHOWER DOORS

oasisshowerdoors.com

S
P
E
C
I
F
I
C
A
T
I
O
N
S

Oasis Frameless Tub Enclosure Specifications:

Frameless

Oasis Frameless Tub Enclosures feature standard 3/8" thick safety tempered glass with polished edges. All slider components available in both anodized aluminum or solid brass in a variety of finishes. Fixed panels anchored with anodized aluminum channeling at the base. Spray panels can be fixed with clips channels, or hinged. Mildew Resistant Silicone is used to seal components to tile. Enclosures are templated for precise measurement by Oasis Shower Doors.

Available options and upgrades:

6" D-pull handle, single-sided tubular towel bars mounted through the glass on fixed panel, permanent surface protectant (reduces cleaning time by up to 90%), low iron, obscure & pattern glass. Mounting clips for fixed panel. Radius corner cuts and/or faucet access cut-outs available on spray panels.




Brass tubular hardware with overlaid finish

Oasis Shower Doors: 800-876-8420
info@oasisshowerdoors.com


Builder Resources

Visit OasisShowerDoors.com for more online specs and other builder and architectural resources.


Note: Typical configurations shown.
Custom configurations available for any Oasis enclosure.




Bypass tub slider with Clean-Track




Slider with channel fixed panel



Wall-mount hinged door & panel



Spray panel with channel system



Spray panel with hinge system

Springfield, MA

646 Springfield St., Feeding Hills MA 01030
t 413.786.8420 f 413.786.7201
Toll Free 800.876.8420

Boston South Shore, MA

50 Finnell Dr., Weymouth MA 02188
t 781.340.2700 f 781.340.0808
Toll Free 888.340.2701

Boston North Shore, MA

47 Newbury St., Peabody MA 01960
t 978.817.2436 f 978.587.3602
Toll Free 888.340.2701

Hartford, CT

195 W. Main St., Avon CT 06001
t 860.676.1410 f 860.677.5869
Toll Free 800.876.8420



Oasis

SHOWER DOORS

Shower / Water Closet Combo



Oasis shower and water closet enclosures are available in an endless variety of configurations, each one unique and customized to your specific plan.

Above: wall mount hinges left and right, with a center return panel.



Glass-to-glass hinges



Glass-to-glass hinges with transom

Build with the Best

- Customized to Fit Any Design
- Highest Quality Components
- 3/8 Inch or 1/2 Inch Heavy Glass
- Virtually Maintenance Free
- Professional Installation
- Fully Warranted



Precision Hardware

Oasis enclosures employ durable precision-machined brass hinges and corner clips to ensure long-term, dependable, and trouble-free service.



Towel Bars, Pulls & Hooks

Oasis enclosures can be outfitted with a variety of towel bars, robe hooks, door handles and pulls. Styles are available in a wide variety of finishes with or without metal washers.



Safety Tempered Glass

Oasis offers dozens of privacy solutions in 3/8 and 1/2 inch heavy glass, available in both standard or low iron, all with polished edges. Optional permanent glass protectant reduces cleaning time up to 90%.



Headers and Channels

Extrusions are made from either anodized aluminum or optional solid brass, available in a wide variety of finishes. We also offer upgrades to clip systems that can be used with or without channels.



Oasis

SHOWER DOORS

oasisshowerdoors.com

S
P
E
C
I
F
I
C
A
T
I
O
N
S

Oasis Shower/Water Closet Specifications:



Oasis slider with in-ceiling track, water closet/shower combo

Frameless

Oasis Frameless Shower/Water Closet Enclosures feature 3/8" thick safety tempered glass with polished edges. Hinges, corner clips, and handles are solid brass and are custom plated to match project finishes. All extrusions are anodized aluminum to resist corrosion. Mildew Resistant

Silicone is used to seal extrusion to tile. Enclosures are templated for precise measurement by Oasis Shower Doors.

Available Options and Upgrades:

1/2" glass, decorative towel bar/handle/robe hook, permanent surface protectant (reduces cleaning time by up to 90%), mounting clips, obscure & pattern glass.

Oasis Shower Doors: 800-876-8420


info@oasisshowerdoors.com

Builder Resources


Visit OasisShowerDoors.com for more online specs and other builder and architectural resources.

Hardware Styles

Standard commercial hardware includes through-the-glass D-pulls, D-pull and towel bar combo, or towel bar separately, in specified finishes. Decorative towel bar/handle upgrades available.



FRONT VIEW



Wall Mount Hinge / Channel System for standard shower/water closet design, available with glass to glass hinges and additional return panels, using clips or channels.

Note: Typical configuration shown. Custom configurations available for any Oasis enclosure.



Typical brass tubular hardware with overlaid finish.

Springfield, MA

646 Springfield St., Feeding Hills MA 01030
t 413.786.8420 f 413.786.7201
Toll Free 800.876.8420

Boston South Shore, MA

50 Finnell Dr., Weymouth MA 02188
t 781.340.2700 f 781.340.0808
Toll Free 888.340.2701

Boston North Shore, MA

47 Newbury St., Peabody MA 01960
t 978.817.2436 f 978.587.3602
Toll Free 888.340.2701

Hartford, CT

195 W. Main St., Avon CT 06001
t 860.676.1410 f 860.677.5869
Toll Free 800.876.8420



Oasis

SHOWER DOORS

Build with the Best


Spray Panels



Oasis spray panels are available with fixed or hinged panels, each one unique and customized to your specific plan. Above: floor-to-ceiling spray panel with channel system.



Panel with clips




Notched Panel



Hinged Panels

- Customized to Fit Any Design
- Highest Quality Components
- 3/8 Inch or 1/2 Inch Heavy Glass
- Virtually Maintenance Free
- Professional Installation
- Fully Warranted



Channels & Clips

Extrusions are made from either anodized aluminum or optional solid brass, available in a wide variety of finishes. We also offer upgrades to clip systems that can be used with or without channels.



Towel Bars, Pulls & Hooks

Oasis panels can be outfitted with a selection of towel bars, robe hooks, door handles and pulls. Styles are available in a wide variety of finishes with or without metal washers.



Safety Tempered Glass

Oasis offers dozens of privacy solutions in 3/8 and 1/2 inch heavy glass, available in both standard or low iron, all with polished edges. Optional permanent glass protectant reduces cleaning time up to 90%.



Oasis

SHOWER DOORS

oasisshowerdoors.com

S
P
E
C
I
F
I
C
A
T
I
O
N
S

Oasis Frameless Spray Panel Specifications:

Frameless

Oasis frameless spray panels feature standard 3/8" and 1/2" thick safety tempered glass with polished edges. All components available in both anodized aluminum or solid brass in a variety of finishes. Spray panels can be installed using clips, channel or hinges. Mildew Resistant Silicone is used to seal components to tile. Enclosures are templated for precise measurement by Oasis Shower Doors.

Available options and upgrades:

6" D-pull handle, knob, or towel bars on hinged spray panels. Single-sided or double-sided tubular towel bars mounted through the glass on fixed panels, permanent surface protectant (reduces cleaning time by up to 90%), low iron, obscure & patterned glass. Mounting clips. Radius corner cuts and/or faucet access cut-outs available on request.




Brass tubular hardware with overlaid finish

Oasis Shower Doors: 800-876-8420
info@oasisshowerdoors.com


Builder Resources

Visit OasisShowerDoors.com for more online specs and other builder and architectural resources.


Note: Typical configurations shown.
Custom configurations available for any Oasis enclosure.




Notched spray panel with channel system




Spray panel with channel system



Spray panel with hinge system



Spray panel with clip system



Ceiling-height spray panel with clip system

Springfield, MA

646 Springfield St., Feeding Hills MA 01030
t 413.786.8420 f 413.786.7201
Toll Free 800.876.8420

Boston South Shore, MA

50 Finnell Dr., Weymouth MA 02188
t 781.340.2700 f 781.340.0808
Toll Free 888.340.2701

Boston North Shore, MA

47 Newbury St., Peabody MA 01960
t 978.817.2436 f 978.587.3602
Toll Free 888.340.2701

Hartford, CT

195 W. Main St., Avon CT 06001
t 860.676.1410 f 860.677.5869
Toll Free 800.876.8420

Hardware & Glass

(All styles shown available in any finish, Standard sizes 6" and 8")



D Pull



Mitered Tubular



Square Pull



Ladder Pull

Standard Glass Styles (More glass patterns and styles available on request)




Ultra-Clear (Low Iron)



Standard Clear



Ultra Acid Etched (Low Iron)



Acid Etched



Digitally Imaged (Any image printed on glass, made to order)

All Glass Available with Optional Water Repellent/Protective Coating




Towel Bars & Pulls

Oasis carries towel bars and pulls to match any handle style shown.



Precision Hardware

Precision-machined brass hinges available in wall mount, pivot, and glass-to-glass.



Headers, Channels & Clips

Made from either anodized aluminum or optional solid brass, available in a wide variety of finishes.

Precision-Machined for a Lifetime of Use



Build Beyond The Bath with Oasis Specialty Glass

Oasis Specialty Glass is
the elegant design choice
for contemporary interiors.



Glass Entry Systems

- Tempered Glass & Finest Precision Hardware
- Interior Panels & Doorways
- Custom Made to Your Specifications
- Residential and Commercial Spaces
- Precision Operation Both Hinged or Sliding
- Hotels, Hospitals, Apartment Complexes

Sliding & Fixed Glass Partitions

- Clean & Contemporary Solutions
- Vast Glass Selection
- Conference Rooms & Office Cubicles
- Reception Rooms & Doctor Offices
- Interior Panels & Doorways
- Room Partitions for Restaurants & Bars



Switchable Privacy Glass

- Privacy on Demand
- Switchable from Clear to Frosted
- Ideal for Office Spaces & Conference Rooms



Back-Painted Glass

- Available in Any Color
- Perfect Color Matching & Replication
- Wall Accents in Lobbies & Offices
- Backsplashes in Kitchens and Baths
- Easy to Clean



Digital Imaged Glass


- Permanent & High Resolution
- Embed Any Image into the Glass
- Imprint Patterns, Logos, Photos, or Art

Call 800-876-8420 for Custom Specialty Glass Beyond the Bath:

Custom Sliding / Fixed Room Partitions



Switchable Privacy Glass / Imaged Glass Office Dividers



Back-Painted Glass for Accent Walls and Backsplashes



SAFETY
INTEGRITY
LONGEVITY
ELEGANCE



OASISSHOWERDOORS.COM • 800-876-8420